



my8 Assembly Instructions





Packaging Contents

Column



- 1 – Column Assembly
- 1 – Column Dust Cover
- Risers (set)

Tools and Hardware Included

1—16mm Wrench

3—Securing Bolts

3—Guide Bolts



- 1 – Platform Assembly
- 1 - Platform Mat
- 1—Platform Dust Cover
- 1 – Power Cord
- 1 – User Manual
- 2 – Straps
- 2 - proMOTION Handles
- 3 – Guide Bolts/Securing Bolts
- 1 - 16mm Wrench
- 1 - Filter Terminal Cover

STEP 1

Remove the Platform Base from the carton and set both back corners on top of Risers (included) lifting off the floor 4-5 inches. Then install the Guide Bolts (included) into the three holes on the bottom of the Column. Cut off cable ties and take out heat shrink sleeve as shown below.


Riser

Riser

*Guide
Bolts*

*Guide
Bolts*


*Remove
Cover*




STEP 2:

Holding the Column next to the Platform Base, you **MUST** make the wire connections **BEFORE** securing the Column. See diagram below. After all data cable connections are made. Use two M3×8 cross pan head screws to install Filter Terminal Cover.

my8 Assembly Cable Connections




PLEASE double check cabling is installed correctly



1. Blue cable
2. Brown cable
3. Green/Yellow cable
4. Multi-Colored Connector

WARNING: Failure to connect cabling correctly will result in power failure during machine startup.



STEP 3:

After all data cable connections are made. Lower the Column into place with Guide Bolts going through correct holes (be careful not to pinch any cables) After the Column is in place and Guide Bolts are through their holes, remove the Guide Bolts and attach the column to the platform using the supplied 3x 16mm securing Platform Bolts including spring and flat washers. *(HINT: do one at a time to keep alignment)*





STEP 4:

Carefully remove assembled my8 from Risers, making sure it is on level surface. Connect the Power Cord to the back of the my8 and plug in to the nearest power outlet and turn ON to test the power. Place all accessories on top of the my8 platform.

